
# **LEXI LED PANEL**



#### LEXI-120x30-DALI-BL

The Lexi by VOLTRON® is a high-quality LED panel with uniform light distribution for intensive use in suspended ceilings. The frame is made completely of ALU and provides extra strength. Click-in OR modules in ALU ensure optimum cooling and extremely long light output retention. The Lexi can also be inserted in a surfacemounted frame (TFH-FRAMEBOX). The Vossloh-Schwabe driver can also be offered in DALI dimmable version - the driver (constant current) is included, the click-in OR modules are exclusive. TYPE LEXI-120x30-DALI-B - 25W/30W/35W/40W - L80 >50,000h - black - IP20 class - DALI-dimmable. Always a 5-year guarantee. ENEC approved





#### Voltron<sup>®</sup> Lighting Group Technical product sheet

# Technical data

Productnumber	Barcode	IP value	Dimmable	IK
LEXI-120x30-DALI- BL	LH-1877	20	V	03
Length	Height	Width	Driver included	Finish color
120cm	5,1cm	30cm	V	Black
ENEC/TÜV				

۷

### Specification text\*


The Lexi is a high-quality LED panel. The frame is made completely of ALU and provides extra strength. Click-in OR modules in ALU ensure optimum cooling and extremely long light output retention. The driver is from the German brand Vossloh-Schwabe and can also be offered in DALI dimmable version - the driver (constant current) is included. The height of the panel is 5,1cm, the length is 120cm and the width is 30cm. The input voltage is 220V and 4 types of power can be selected by dipswitch and are 25W/30W/35W/40W. The finishing paint color is Black. The IP value of the panel is 20. The panel comes without any lightsource. The suitable light source can be selected on the OR-Module sections.

\* Available on the website



#### Voltron<sup>®</sup> Lighting Group Technical product sheet

## Full installation example with OR-MODULE.



## Areas of application

Office spaces / meeting rooms / showrooms / shops / corridors / classrooms / Mounting also with closed surface mounted box (FRAMEBOX)

# Extra information

All information, specification texts, photos, technical drawings, connection diagrams, photometric .LDT files can be found via this clickable direct link: https://www.voltron-lighting.com/product/EN/78/1877/LEXI\_LED\_PANEL--LEXI-120x30-DALI-BL or can be requested through your contact person.

# Direct link website





# 🖉 ( E 🥏 🛃 🐼 🔂 📴

The Voltron® name and logo as well as product names are part of the Voltron® Lighting Group and are protected by national and international laws. The usage rights, reproduction rights as well as the intellectual rights are the exclusive property of the Voltron® Lighting Group. Voltron® pays a lot of attention to the correctness and completeness of the information. However, it cannot be held responsible for any inaccuracy and / or omission. All images and texts are protected under copywrite law and may not be used or multiplied without express permission.



Voltron® Lighting Group - Asia/Australia/USA 6 Tung Tau Tsuen, Yuen Long, Hong Kong sales@voltron-lighting.com - https://www.voltron-lighting.com